A SUPPLIER YOU CAN TRUST

TUBOMART

PEX PIPES AND FITTINGS SYSTEMS

TUBOMART®

Office address: Rm 1401-1410, block A1, Guangzhou Greenland Central Plaza Shenzhou Rd, Huangpu District, Guangzhou, China 510520

TEL: +86-20-85553485 85553489 FAX: +86-20-85553495

Email: export@tubomart.com Contact person: Mr. Roberto Pau

website:www.tubomart.com

www.tubomart.com

Company Profile

* **10 Extruders--Multilayer pipes** 250,000 meters per day
* **1 Fitting factories** 100,000 matched fittings per day
* **20,000 square meters warehouse**

Tubomart provides advanced piping solutions for Plumbing,Heating and Gas Transportations in all building types,from residential house to industrial and commercial bulldings.

Tubomart endeavors to provide our customers with diversity in choices and satisfaction in quality. By integrating our excellent R & D capablity and production scale,we are able to provide a range of services from OEM to tailored services for each markets .

TUBOMART®

Cross-linked structure, high toughness of pipe

With a cross-linked structure, the pipeline has high toughness, strong heat resistance, and creep resistance, and the service life can reach more than 50 years.

High-temperature resistance, cold resistance, more stable use

Good high and low-temperature resistance, temperature range: - 40 ℃ ~ + 90 ℃.

Good pressure resistance

In the floor radiant heating system, the pressure of PE-Xa pipe with the same wall thickness is 1 / 3 higher than that of PPR; In the radiator heating system, the pressure of PE-Xa pipe with the same wall thickness is 2 / 3 more elevated than that of PPR.

Super softness, more convenient construction

The two-dimensional network structure is soft and more flexible, with minor internal stress and more conventional construction.

Memory function, quick recovery

Unique "memory function" can restore the original state when deformed by external stress to ensure its reliable sealing at the connection.

PEX Specification(mm)		Package
B	R	50m/coils
16*1.8	16*2.2	
20*1.9	20*2.8	100m/coils
25*2.3	28*3.5	
32*2.9	32*4.4	200m/coils

PEX Specification(Inch)	Package
3/8"	100ft/coils
1/2"	250ft/coils
3/4"	300ft/coils
1"	500ft/coils

Durable and high stiffness

Can be equipped with a metal pipe, can omit connecting pipe fittings, reduce installation cost and facilitate maintenance; Its strength does not change significantly with time, and its service life can be as long as 50 years.

High-temperature resistance, cold resistance, more stable use

Good high and low-temperature resistance, temperature range: - 40 ℃ ~ + 90 ℃, Good pressure resistance, 0.6 bar = 6 Kg

Highest chlorine and oxidative resistance

It also has a higher bursting pressure than PEX-A and a similar or better resistance to oxidation - a very important factor for plumbing installations.

PEX Specification(mm)		Package
B	R	50m/coils
16*1.8	16*2.2	
20*1.9	20*2.8	100m/coils
25*2.3	28*3.5	
32*2.9	32*4.4	200m/coils

PEX Specification(Inch)	Package
3/8"	100ft/coils
1/2"	250ft/coils
3/4"	300ft/coils
1"	500ft/coils



EVOH oxygen barrier

PE-Xa and PE-Xb with EVOH are combined to form a three-layer oxygen barrier structure. There is no delamination between each layer, and the thickness is uniform.

Bacteriostatic & waterproof scale

EVOH oxygen barrier layer effectively blocks oxygen from entering the pipe, inhibits the propagation of bacteria and algae, prevents the slow growth of dirt, and ensures water quality's long-term purity and health.

Corrosion & rust resistance

The oxygen permeability < 0.1g / (D: m) 3 can effectively prevent oxygen from penetrating the pipeline system, prevent water pollution caused by corrosion and rust of metal parts in the HVAC system. It will significantly prolong the service life of metal parts such as water separators and wall-mounted furnaces in the heating system.

PEX Specification(mm)		Package
B	R	50m/coils
16*1.8	16*2.2	
20*1.9	20*2.8	100m/coils
25*2.3	28*3.5	
32*2.9	32*4.4	200m/coils

PEX Specification(Inch)	Package
3/8"	100ft/coils
1/2"	250ft/coils
3/4"	300ft/coils
1"	500ft/coils



FITTINGS-110 SERIES

Screw Fittings for PEX pipes

TM 110001

TM 110002

TM 110003

TM 110004

TM 110005

TM 110006

TM 110007

TM 110008

TM 110009

TM 110010

TM 110011

TM 110012

TUBOMART®

FITTINGS-110 SERIES

Screw Fittings for PEX pipes

TM 110013

TM 110013A

TM 110013B

TM 110014

TM 110014A

TM 110014B

TM 110017A

TM 110015

TM 110015A

TM 110015B

TM 110016

TM 110016A

TM 110016B

TM 110017B

FITTINGS-130 SERIES

Press Fittings for PEX pipes

TM 130001

TM 130002

TM 130003

TM 130004

TM 130005

TM 130006

TM 130007

TM 130008

TM 130009

TM 130010

TM 130011

TM 130012

TUBOMART®

FITTINGS-130 SERIES

Press Fittings for PEX pipes

TM 130012B

TM 130013

TM 130014

TM 130015

TM 130016

TM 130017

TM 130018

TM 130019

TM 130020

TM 130021

TM 130022

TM 130023

TM 130024

FITTINGS-140 SERIES

Sliding Fittings for PEX pipes (Spanish Style)

TM 140001

TM 140002

TM 140002A

TM 140003

TM 140004

TM 140005

TM 140006

TM 140007

TM 140008

TM 140009

TM 140010

TM 140011

TUBOMART®

FITTINGS-140 SERIES

Sliding Fittings for PEX pipes (Spanish Style)

TM 140012

TM 140013

TM 140014

TM 140015

TM 140016

TM 140017

TM 140018

TM 140019

TM 140020

TM 140021

TM 140022

TM 140023

FITTINGS-140 SERIES

Sliding Fittings for PEX pipes (Spanish Style)

TM 140024

TM 140025

TM 140026

TM 140027

TM 140028

TM 140029

TM 140030

TM 140031

TM 140032

TM 140033

FITTINGS-180 SERIES

Sliding Fitting for PEX pipes(Russia Style)

TM 180001

TM 180002

TM 180003

TM 180004

TM 180005

TM 180006

TM 180006-1

TM 180007

TM 180008

TM 180009

TM 180010

TM 180011

TM 180012

FITTINGS-370 SERIES

Push-in Fittings

TM 370001

TM 370002

TM 370003

TM 370004

TM 370005

TM 370006

TM 370007

TM 370008

TM 370009

TM 370010

TM 370011

TM 370012

TUBOMART®

FITTINGS-370 SERIES

Push-in Fittings

TM 370013

TM 370014

TM 370015

TM 370016

TM 370017

TM 370018

TM 370019

TM 370020

TM 370021

TM 370022

TM 370023

TM 370024

FITTINGS-370 SERIES

Push-in Fittings

TM 370025

TM 370026

TM 370027

TM 370028

TM 370029

TM 370030

TM 370031

TM 370032

TM 370033

TM 370034

TM 370035

TM 370036

FITTINGS-370 SERIES

Push-in Fittings

TM 370038

TM 370039

TM 370040

TM 370041

TM 370042

TM 370043

TM 370045

TM 370044

TM 37001A

TM 370046

TM 370047

TM 370004-1

TOOLS-360 SERIES

Installation Tools

TM 360109

TM 360111

TM 360118

TM 360125

TM 360125B

TM 360126

TM 360127

TM 360128

TM 360129

TM 360203

TM 360207

TUBOMART®